

# Aspheric

Baader-No.	<sup>1</sup> FL (mm)	Eyepiece Type	Barrel (in.)	<sup>2</sup> E / G	<sup>3</sup> AF	<sup>4</sup> G	<sup>5</sup> ER (mm)	Field Stop (mm)	<sup>7</sup> Eyepiece Dimensions (mm)						Weight (g/lb/oz)
									A	B	C	D	E	F	
2454631	31	Aspheric	2"	6/4	70°	yes	17	38	76,7	-	27,5	59,5	0	-	356
2454636	36	Aspheric	2"	6/4	70°	yes	19	45	84,7	-	27,5	59,5	0	-	373
Baader-No.	<sup>1</sup> FL (mm)	Eyepiece Type	Barrel (in.)	<sup>2</sup> E / G	<sup>3</sup> AF	<sup>4</sup> G	<sup>5</sup> ER (mm)	Field Stop (mm)	<sup>7</sup> Eyepiece Dimensions (mm)						Weight (g/lb/oz)
									A	B	C	D	E	F	
2454631	31	Aspheric	1.25"	6/4	70°	yes	17	30	92,2	23,9	-	59,5	-	15,5	365
2454636	36	Aspheric	1.25"	6/4	70°	yes	19	30	100,2	23,9	-	59,5	-	15,5	382

## Table Notes

<sup>1</sup>FL: Focal Length

<sup>2</sup>E / G: # Lens Elements / # Groups

<sup>3</sup>AF: Apparent Field of View

<sup>4</sup>G: Parfocal

<sup>5</sup>ER: Eye Relief

<sup>7</sup>Eyepiece Dimensions: see diagram

A: Height of barrel above reference surface

B: Height of 1¼" barrel

C: Height of 2" barrel

D: Outer Diameter

E/F: Approx. location of field stop

